



surface
care
solutions

Care & Maintenance Sheet

Senio

Craquelè Tiles

Care & Maintenance Sheet

Craquelè Tiles



surface care solutions

Care & Maintenance Sheet

Senio

Craquelè Tiles

PRETREATMENT

MP90 is recommended for this operation.

The product should be applied before the installation of the. The product reduces water absorption and makes the ordinary maintenance easier. Always remove excess; test before use. Does not protect against acids.

Coverage: The product covers up to 15 - 20 mq/l

How to use it



<p>STEP 1</p> 	<p>STEP 2</p> 	<p>STEP 3</p> 
<p>Clean the material surface well on all sides.</p>	<p>On a clean and dry surface, apply the product evenly with a paintbrush or roller.</p>	<p>Wait 10-15 minutes, then remove any residue. Do not wet or install the material during the following 24 hours.</p>

INITIAL CLEANING



CLEANER PRO is recommended for this operation.

The product should be applied to remove surficial residues. CLEANER PRO is a neutral cleaner that can be used both on floors and walls.

Coverage: when diluted 1:30, it covers up to 50mq/l

How to use it



<p>STEP 1</p> 	<p>STEP 2</p> 	<p>STEP 3</p> 	<p>STEP 4</p> 	<p>STEP 5</p> 
<p>Wet the surface with water.</p>	<p>Dilute CLEANER PRO 1:30</p>	<p>Distribute the solution on the surface with a brush or airless sprayer.</p>	<p>Let sit for 4-5 minutes, then clean the area with an abrasive Scotch Brite sponge or brush.</p>	<p>Remove residue and rinse with clean water.</p>



surface
care
solutions

Care & Maintenance Sheet

Senio

Craquelè Tiles

WATER AND OIL REPELLENT PROTECTION

MP90 is recommended for this operation.

Apply the product when the areas are clean and dry. The protector reduces the absorption of water and non-acidic staining agents without changing the finishing. It does not protect against acids. Always read the technical data sheets before use.

Coverage: It covers up to 15 - 20 mq/l

How to use it



<p>STEP 1</p> 	<p>STEP 2</p> 	<p>STEP 3</p> 	<p>STEP 4</p> 
<p>Clean the surface well.</p>	<p>On a clean and dry surface, apply the product evenly with a brush</p>	<p>Wait 10 minutes, then remove any unabsorbed residue. The product must not form a film.</p>	<p>Do not touch the surface within the first 8 hours and do not wet the surface for 24 hours.</p>

ORDINARY MAINTENANCE

For this operation, we recommend using CLEAN&SHINE

The product gently but effectively cleans all surfaces without damaging them. It is the ideal product for routine maintenance of surfaces.

How to use it

<p>STEP 1</p> 	<p>STEP 2</p> 
<p>Spray the product on the surface keeping the bottle upright, 20-30 cm from the point of application.</p>	<p>Clean the area with a soft cloth.</p>





surface
care
solutions

Care & Maintenance Sheet

Senio

Craquelè Tiles

EXTRAORDINARY MAINTENANCE




For this operation, we recommend CLEANER PRO.

The product removes stubborn dirt, restoring the floor's original appearance. It is recommended to carry out this cleaning when there is the need.

Coverage: The product, diluted 1:30, covers up to 50mq/l



How to use it

STEP 1 	STEP 2 	STEP 3 	STEP 4 	STEP 5 
Wet the surface with water.	Dilute CLEANER PRO 1:30	Distribute the solution on the surface with a brush or airless sprayer.	Let sit for 4-5 minutes, then clean the area with an abrasive Scotch Brite sponge or brush.	Remove residue and rinse with clean water.

NOTE

To keep the surface in good condition, we recommend the following maintenance schedule:

- Regular maintenance with CLEANER PRO diluted 1:200;
- Annual maintenance with CLEANER PRO diluted 1:30;
- One-time maintenance with PS87 PRO diluted 1:5 (if necessary).
- If necessary, several years after installation, it will be possible to reinforce the protection after extraordinary washing with CLEANER PRO or PS87 PRO (if there is a need to de-wax the surface).
- Do not use acidic substances.
- If necessary, follow the stain chart below.

Before using the products, always read and refer to the most up-to-date FILA technical data sheets available at www.filasolutions.com.



surface
care
solutions

Care & Maintenance Sheet

Senio

Craquelè Tiles

STAIN CHART

OIL AND GREASE	NOSPOT
CARBONATED BEVERAGES AND JUICES	SR95/CLEANER PRO
URINE AND VOMIT	
COFFEE AND WINE	
BLOOD	
INK / MARKER	
NICOTINE	
HAIR DYE	
SILICONE	ZEROSIL
POLYURETHANE FOAM	
ADHESIVE TAPE RESIDUE	
RESIN	
RUST	NORUST

NOTE

Avoid the use of acidic or alkaline substances, or solvent-based cleaning agents; regardless of their concentration and even if diluted, as they can damage the material. This is a generic maintenance sheet that can be modify in case of necessity. For any enquiries, please write to info@filasolutions.com.